



MARUTI
— TRADING —

PRODUCT CATALOG



INDUSTRIAL
TOOLS



VALVES



PIPE
FITTINGS




LUBRICANTS

QUALITY PRODUCTS
BUILT FOR INDUSTRY

TABLE OF CONTENTS

SECTION	CATEGORY	PAGE NO.
01	 COMPANY OVERVIEW 01	01
02	 VALVES & FITTINGS & PRESSURE GAUGES 02-11	02-11
03	 INDUSTRIAL TOOLS 12-17	12-17
04	 INDUSTRIAL LUBRICANTS 18	18
05	 INDUSTRIAL PRODUCT RANGE 19	19
06	 CONTACT US 20	20



COMPANY OVERVIEW

We are engaged in the supply and distribution of industrial products that support a wide range of industries and applications.

Our focus is on providing dependable products, consistent quality, and responsive service to help our clients meet their operational needs efficiently.

Through strong relationships with trusted suppliers and a commitment to customer satisfaction, we aim to deliver the right products, at the right time, every time.

OUR VALUES



INTEGRITY

We conduct our business with honesty, transparency, and ethical practices.



COMMITMENT

We are committed to providing products and services that our customers can rely on.



QUALITY FOCUS

We focus on consistent quality and continuous improvement in everything we do.



PARTNERSHIP

We build long-term relationships based on trust, respect, and mutual growth.



WIDE NETWORK

We work with a network of reliable manufacturers and suppliers to serve diverse industry needs.



DIVERSE SOLUTIONS

Our product range is carefully selected to meet various industrial requirements.



CLIENT SATISFACTION

We strive to understand our clients' needs and provide solutions that create value.



BRONZE VALVES

Our bronze valves are manufactured with precision and built for durability, corrosion resistance and dependable performance in demanding industrial applications.



FEATURES

- High quality bronze construction for long service life
- Excellent corrosion and rust resistance
- Smooth operation with tight shut-off
- Suitable for a wide range of industrial media
- Tested for strength, pressure and leakage
- Available in various sizes and end connections



APPLICATIONS



Water & Waste Water Treatment



Oil, Gas & Petrochemical Industries



Marine & Ship Building



HVAC & General Industrial Applications



BRONZE GLOBE VALVES

- Durable bronze body
- Accurate flow regulation
- Reliable and leak-proof performance
- Ideal for throttling and stopping flow

Size Range	1/4" to 4"
Pressure Rating	PN 10 / PN 16
End Connection	Screwed (BSP / NPT), Flanged
Working Temp.	-10°C to 180°C
Suitable Media	Water, Oil, Gas, Air, Steam



BRONZE BALL VALVES

- Full port for maximum flow
- Quarter turn operation
- Strong, compact and leak-tight
- Suitable for on/off applications

Size Range	1/4" to 4"
Pressure Rating	PN 20 / 600 WOG
End Connection	Screwed (BSP / NPT)
Working Temp.	-10°C to 180°C
Suitable Media	Water, Oil, Gas, Air, Steam



BRONZE GATE VALVES

- Rising stem for easy operation
- Tight shut-off performance
- Robust construction
- Ideal for isolation applications

Size Range	1/2" to 4"
Pressure Rating	PN 10 / PN 16
End Connection	Screwed (BSP / NPT), Flanged
Working Temp.	-10°C to 180°C
Suitable Media	Water, Oil, Gas, Air, Steam



INDUSTRIAL VALVES

Our range of industrial valves is engineered to deliver reliable performance, tight shut-off and long service life in a wide range of demanding industrial applications.



FEATURES

- Robust construction for long service life
- Precision machining for leak-proof performance
- Compact design for easy installation
- Tested for strength and reliability
- Suitable for a wide range of industrial media



APPLICATIONS



Water & Waste Water Treatment



Oil, Gas & Petrochemical Industries



Marine & Ship Building



HVAC & General Industrial Applications



Steam & Thermal Applications

DUCTILE IRON GATE VALVE



- Rising stem design
- Tight shut-off
- Low flow resistance
- Suitable for water and general applications

Size Range	½" to 12"
Pressure Rating	PN 10 / PN 16
End Connection	Flanged (BS EN 1092-2)
Working Temp.	-10°C to 120°C
Suitable Media	Water, Air, Non aggressive liquids

BUTTERFLY VALVE WAFER TYPE



- Lightweight design
- Quick 90° operation
- Bubble tight shut-off
- Ideal for water, HVAC & industrial use

Size Range	2" to 12"
Pressure Rating	PN 10 / PN 16
End Connection	Wafer (Between Flanges)
Working Temp.	-10°C to 110°C
Suitable Media	Water, Air, Gas, Mild Chemicals



STAINLESS STEEL SWING CHECK VALVE

- Automatic operation
- Prevent backflow
- Strong and durable construction
- Low pressure drop

Size Range	½" to 8"
Pressure Rating	PN 16
End Connection	Flanged (BS EN 1092-2)
Working Temp.	-20°C to 180°C
Suitable Media	Water, Oil, Gas, Chemicals

BRASS BALL VALVE



- Full port for maximum flow
- Quarter turn operation
- Leak-proof performance
- Ideal for water, air and gas

Size Range	½" to 4"
Pressure Rating	PN 25
End Connection	Screwed (BSP / NPT)
Working Temp.	-10°C to 120°C
Suitable Media	Water, Air, Gas, Oil

BRONZE SAFETY VALVE



- Protects system from overpressure
- Precision set pressure
- Reliable and durable
- Suitable for steam, air and gases

Size Range	½" to 2"
Pressure Rating	Up to 16 Bar
End Connection	Screwed (BSP / NPT)
Working Temp.	-10°C to 200°C
Suitable Media	Steam, Air, Gas



PIPE FITTINGS & ACCESSORIES

A comprehensive range of pipe fittings and accessories designed for secure connections, leak-proof performance and long service life in industrial applications.

FEATURES

- Corrosion resistant materials
- Precision manufacturing for perfect fit
- Leak-proof and reliable performance
- Wide range of sizes and connections
- Suitable for various industrial applications

APPLICATIONS



Water & Waste Water Treatment



Oil, Gas & Petrochemical Industries



Marine & Ship Building



HVAC & General Industrial Applications



Pumping & Pipeline Systems



Food & Beverage Industries

STAINLESS STEEL 90° ELBOW



- Smooth finish
- Corrosion resistant
- High strength
- Long service life

Size Range	1/8" to 4"
Thread Type	BSP / NPT
Material	SS 304 / 316
Pressure Rating	Up to 3000 PSI
Application	Water, Oil, Gas, Chemicals

STAINLESS STEEL TEE



- Strong and durable
- Leak-proof connection
- Excellent corrosion resistance

Size Range	1/8" to 4"
Thread Type	BSP / NPT
Material	SS 304 / 316
Pressure Rating	Up to 3000 PSI
Application	Water, Oil, Gas, Chemicals

GI PIPE COUPLING



- Galvanized finish
- Durable & reliable
- For joining two pipes

Size Range	1/8" to 6"
Thread Type	BSP / NPT
Material	Galvanized Iron
Pressure Rating	Up to 150 PSI
Application	Water, Air, General Service

BRASS UNION



- Easy installation
- Strong & leak-proof
- Corrosion resistant

Size Range	1/8" to 4"
Thread Type	BSP / NPT
Material	Brass
Pressure Rating	Up to 600 PSI
Application	Water, Oil, Gas, Air

PRESSURE GAUGE



- Accurate pressure measurement
- Sturdy SS case
- AISI 316 wetted parts
- Dual scale (psi & bar)

Dial Size	1 1/2" / 2" / 2 1/2" / 4"
Connection	1/8" / 1/4" BSP / NPT
Material	SS 304 / SS 316
Pressure Rating	0 to 10000 PSI
Application	Water, Oil, Gas, Air, Steam

HOSE CONNECTOR (SS)



- Strong & durable
- Corrosion resistant
- Secure hose connection
- Easy to install

Size Range	1/4" to 2"
Thread Type	BSP / NPT
Material	SS 304 / 316
Pressure Rating	Up to 300 PSI
Application	Water, Air, Chemicals

UNION CONNECTOR (SS)



- Quick installation
- Leak-proof joint
- High pressure resistance

Size Range	1/8" to 4"
Thread Type	BSP / NPT
Material	SS 304 / 316
Pressure Rating	Up to 3000 PSI
Application	Water, Oil, Gas, Chemicals

HEX NIPPLE (SS)



- Hex design for easy tightening
- Leak-proof connection
- Strong & durable

Size Range	1/8" to 4"
Thread Type	BSP / NPT
Material	SS 304 / 316
Pressure Rating	Up to 3000 PSI
Application	Water, Oil, Gas, Air

REDUCING BUSH (GI)



- Reduces pipe size
- Galvanized finish
- Strong & durable
- Corrosion resistant

Size Range	1/4" to 6"
Thread Type	BSP / NPT
Material	Galvanized Iron
Pressure Rating	Up to 150 PSI
Application	Water, Air, General Service

HEX ADAPTOR (SS)



- Male / Female connection
- Precision machined
- Corrosion resistant

Size Range	1/8" to 4"
Thread Type	BSP / NPT
Material	SS 304 / 316
Pressure Rating	Up to 3000 PSI
Application	Water, Oil, Gas, Air



FLANGES & STRAINERS & Y TYPE

A wide range of flanges, strainers and Y type strainers manufactured to international standards for pipeline protection and reliable performance in industrial systems.



FEATURES

- Manufactured to international standards
- Strong and durable construction
- Excellent corrosion resistance
- Easy installation and maintenance
- Suitable for high pressure and temperature



APPLICATIONS



Water & Waste Water Treatment



Oil, Gas & Petrochemical Industries



Marine & Ship Building



HVAC & General Industrial Applications



Pumping & Pipeline Systems



Power Plants



Food & Beverage Industries

SLIP ON FLANGE



- Easy to install
- Cost effective
- Suitable for low pressure applications

Size Range	½" to 24"
Pressure Rating	Class 150
Standard	ASME B16.5
Material	Carbon Steel
Face Type	RF / FF
Application	Water, Oil, Gas, General Service

WELD NECK FLANGE



- High strength and durability
- Suitable for high pressure and high temperature
- Smooth stress transition

Size Range	½" to 24"
Pressure Rating	Class 150 to 2500
Standard	ASME B16.5
Material	Carbon Steel
Face Type	RF
Application	Oil, Gas, Steam, Petrochemical

BLIND FLANGE



- Used to close the end of a piping system
- Provides easy access for inspection

Size Range	½" to 24"
Pressure Rating	Class 150 to 600
Standard	ASME B16.5
Material	Carbon Steel
Face Type	RF / FF
Application	Water, Oil, Gas, General Service

CAST IRON Y STRAINER



- Removes dirt and solid particles
- Protects valves and equipment
- Easy cover removal for cleaning

Size Range	½" to 12"
Pressure Rating	PN 16
End Connection	Flanged (BS EN 1092-2)
Material	Cast Iron (CI)
Application	Water, Oil, Steam

DUCTILE IRON Y STRAINER



- High strength and long service life
- Efficient filtration performance
- Suitable for high pressure systems

Size Range	½" to 12"
Pressure Rating	PN 16 / PN 25
End Connection	Flanged (BS EN 1092-2)
Material	Ductile Iron (DI)
Application	Water, Oil, Gas

STAINLESS STEEL Y STRAINER



- Corrosion resistant
- Suitable for aggressive media
- Easy installation and cleaning

Size Range	½" to 12"
Pressure Rating	PN 16 / PN 25
End Connection	Flanged (ANSI / BS)
Material	SS 304 / SS 316
Application	Water, Chemicals, Food, Pharma

BASKET STRAINER



- Large filtration area
- High dirt holding capacity
- Ideal for heavy duty applications

Size Range	½" to 12"
Pressure Rating	PN 16
End Connection	Flanged (BS EN 1092-2)
Material	Cast Iron / Ductile Iron
Application	Water, Oil, Steam

SIMPLEX STRAINER



- Compact and rugged design
- Easy maintenance
- Threaded connections

Size Range	½" to 2"
Pressure Rating	Up to 300 PSI
End Connection	Screwed (BSP / NPT)
Material	SS 304 / CS
Application	Water, Oil, Gas, Air

DOUBLE WINDOW SIGHT FLOW INDICATOR



- Visual flow indication
- Reinforced toughened glass
- Suitable for liquids

Size Range	½" to 6"
Pressure Rating	PN 16
End Connection	Flanged (BS EN 1092-2)
Material	Cast Iron / Ductile Iron
Application	Water, Oil, Chemicals

INDUSTRIAL VALVES & ACCESSORIES

A comprehensive range of industrial valves and accessories designed for efficient flow control and reliable performance in various industrial applications.

FEATURES

- Wide range for diverse industrial applications
- Reliable performance in demanding conditions
- Easy installation and maintenance
- Suitable for various fluids and gases
- Available in multiple materials and sizes

APPLICATIONS

- Water & Waste Water Treatment
- Oil, Gas & Petrochemical Industries
- Marine & Ship Building
- HVAC & General Industrial Applications
- Pumping & Pipeline Systems
- Power Plants
- Food & Beverage Industries



VALVES & FITTINGS & PRESSURE GAUGES

GLOBE VALVE



- Precise flow regulation
- Throttling service
- Leak-proof performance
- Long service life

Size Range	½" to 12"
Pressure Rating	PN 16 / PN 25
End Connection	Flanged (BS EN 1092-2)
Material	SS 304 / SS 316 / CI
Application	Water, Oil, Steam, Gas

DIAPHRAGM VALVE



- Tight shut-off
- Corrosion resistant
- Suitable for slurry service
- Low maintenance

Size Range	½" to 8"
Pressure Rating	PN 10 / PN 16
End Connection	Flanged (BS EN 1092-2)
Material	CI / DI / PP
Application	Water, Chemicals, Slurry, Acid

NEEDLE VALVE



- Accurate flow control
- High pressure resistance
- Compact design
- Leak-tight shut-off

Size Range	1/8" to 1"
Pressure Rating	Up to 6000 PSI
End Connection	Threaded (BSP / NPT)
Material	SS 304 / SS 316
Application	Oil, Gas, Instrumentation, Hydraulic

BALL VALVE (FLANGED)



- Full bore design
- Bubble tight shut-off
- Low torque operation
- Suitable for high pressure

Size Range	½" to 12"
Pressure Rating	PN 16 / PN 40
End Connection	Flanged (BS EN 1092-2)
Material	CS / SS 304 / SS 316
Application	Water, Oil, Gas, Steam

BALL VALVE (THREADED)



- Compact design
- Easy installation
- Leak-proof performance
- Suitable for various media

Size Range	½" to 4"
Pressure Rating	Up to 1000 PSI
End Connection	Threaded (BSP / NPT)
Material	CS / SS 304 / SS 316
Application	Water, Oil, Gas, Air

CHECK VALVE (SWING)



- Automatic operation
- Prevent backflow
- Low pressure drop
- Durable construction

Size Range	½" to 12"
Pressure Rating	PN 16 / PN 25
End Connection	Flanged (BS EN 1092-2)
Material	CI / DI / SS 304 / SS 316
Application	Water, Oil, Gas, Steam

CHECK VALVE (LIFT)



- Compact and robust
- Threaded connection
- Prevent backflow
- Long service life

Size Range	½" to 2"
Pressure Rating	Up to 2000 PSI
End Connection	Threaded (BSP / NPT)
Material	SS 304 / SS 316
Application	Water, Oil, Gas, Air

PRESSURE REDUCING VALVE



- Maintains downstream pressure
- Protects system components
- Stable performance
- Easy adjustment

Size Range	½" to 2"
Pressure Rating	Up to 16 Bar
End Connection	Threaded (BSP / NPT)
Material	SS 304 / SS 316
Application	Water, Air, Gas, Oil

SAFETY RELIEF VALVE



- Protects system from overpressure
- Automatic operation
- High discharge capacity
- Reliable performance

Size Range	½" to 2"
Pressure Rating	Up to 40 Bar
End Connection	Flanged / Threaded
Material	CI / CS / SS 304 / SS 316
Application	Steam, Air, Gas, Liquid

INDUSTRIAL ACCESSORIES & GAUGES

A wide range of industrial accessories and pressure gauges designed for accurate measurement, secure connections and efficient operation in all types of industrial systems.

FEATURES

- Accurate and reliable performance
- Wide selection for multiple applications
- Easy installation and maintenance
- Suitable for various industrial environments
- Available in different materials and sizes

APPLICATIONS

- Water & Waste Water Treatment
- Oil, Gas & Petrochemical Industries
- Marine & Ship Building
- HVAC & General Industrial Applications
- Pumping & Pipeline Systems
- Power Plants
- Food & Beverage Industries



VALVES & FITTINGS & PRESSURE GAUGES

BOURDON TUBE PRESSURE GAUGE



Dial Size	1½" / 2" / 2½" / 4"
Connection	1/8" / 1/4" BSP / NPT
Range	0 to 10000 PSI
Accuracy	±1.6% F.S.D.
Application	Water, Oil, Gas, Air, Steam

GLYCERINE FILLED PRESSURE GAUGE



Dial Size	2" / 2½" / 4"
Connection	1/4" BSP / NPT
Range	0 to 6000 PSI
Accuracy	±1.6% F.S.D.
Application	Hydraulic, Oil, Gas, Vibration Areas

COMPOUND GAUGE



Dial Size	2" / 2½" / 4"
Connection	1/4" BSP / NPT
Range	-1 to 15 Bar
Accuracy	±1.6% F.S.D.
Application	Vacuum, Compressor, Pumps

DIGITAL PRESSURE GAUGE



Dial Size	2½" / 4"
Connection	1/4" BSP / NPT
Range	0 to 10000 PSI
Accuracy	±0.5% F.S.D.
Application	High Accuracy Measurement

HOSE PIPE



Size Range	1/4" to 2"
Type	R1 / R2 / R3 / R6
Pressure Rating	Up to 6000 PSI
Material	Synthetic Rubber
Application	Hydraulic, Pneumatic, Water, Oil

HOSE ASSEMBLY



Size Range	1/4" to 2"
Type	Hydraulic Hose Assemblies
Pressure Rating	Up to 6000 PSI
End Fittings	BSP / NPT / JIC / ORFS
Application	Hydraulic Systems, Machinery

PIPE NIPPLE (GI)



Size Range	1/8" to 4"
Thread Type	BSP / NPT
Material	Galvanized Iron
Pressure Rating	Up to 150 PSI
Application	Water, Air, Gas, Oil

PIPE CAP (GI)



Size Range	1/8" to 4"
Thread Type	BSP / NPT
Material	Galvanized Iron
Pressure Rating	Up to 150 PSI
Application	Water, Air, Gas, Oil

HEX PLUG (GI)



Size Range	1/8" to 4"
Thread Type	BSP / NPT
Material	Galvanized Iron
Pressure Rating	Up to 150 PSI
Application	Water, Air, Gas, Oil

REDUCING NIPPLE (GI)



Size Range	1/4" x 1/8" to 4" x 2"
Thread Type	BSP / NPT
Material	Galvanized Iron
Pressure Rating	Up to 150 PSI
Application	Water, Air, Gas, Oil

BUSHING (GI)



Size Range	1/8" x 1/4" to 4" x 3"
Thread Type	BSP / NPT
Material	Galvanized Iron
Pressure Rating	Up to 150 PSI
Application	Water, Air, Gas, Oil

HEX ADAPTOR (SS)



Size Range	1/8" to 2"
Thread Type	BSP / NPT
Material	SS 304 / SS 316
Pressure Rating	Up to 3000 PSI
Application	Water, Oil, Gas, Chemicals



INDUSTRIAL FITTINGS & ACCESSORIES

A comprehensive range of industrial fittings and accessories designed to ensure secure connections, leak-proof performance and long service life in all types of industrial applications.



FEATURES

- Precision manufacturing for perfect fit
- Leak-proof and reliable performance
- Corrosion resistant materials
- Easy installation and maintenance
- Wide range of sizes and configurations
- Suitable for various industrial applications



APPLICATIONS

- Water & Waste Water Treatment
- Oil, Gas & Petrochemical Industries
- Marine & Ship Building
- HVAC & General Industrial Applications
- Pumping & Pipeline Systems
- Power Plants
- Food & Beverage Industries

HEX NUT



- High strength
- Durable and reliable
- Corrosion resistant
- Precision threads

Size Range	1/8" to 4"
Thread Type	BSP / NPT
Material	SS 304 / SS 316 / GI / MS
Standard	DIN / IS / ANSI
Application	Piping, Machinery, General Use

HEX BOLT



- High tensile strength
- Excellent durability
- Corrosion resistant
- Perfect for heavy duty use

Size Range	1/4" to 2"
Thread Type	BSP / UNC
Material	SS 304 / SS 316 / GI / MS
Standard	DIN / IS / ANSI
Application	Piping, Flange, Machinery

STUD BOLT (ALL THREAD)



- Full thread for strong holding
- High load capacity
- Available in all sizes
- Corrosion resistant

Size Range	1/4" to 4"
Thread Type	BSP / UNC
Material	SS 304 / SS 316 / GI / MS
Standard	DIN / IS / ANSI
Application	Flanges, Machinery, Pipeline

LOCK WASHER



- Prevents loosening
- Vibration resistant
- Reusable
- Corrosion resistant

Size Range	1/8" to 2"
Type	Spring / Split
Material	SS 304 / SS 316 / GI
Standard	DIN 127 / IS 3063
Application	Piping, Machinery, General Use

UNION (MALE-FEMALE)



- Easy assembly & disassembly
- Leak-proof joint
- Strong & durable
- Suitable for high pressure

Size Range	1/8" to 4"
Thread Type	BSP / NPT
Material	SS 304 / SS 316 / GI
Pressure Rating	Up to 3000 PSI
Application	Water, Oil, Gas, Air

REDUCING UNION



- Connects different pipe sizes
- Leak-proof & reliable
- Corrosion resistant
- Easy to install

Size Range	1/8" to 2"
Thread Type	BSP / NPT
Material	SS 304 / SS 316 / GI
Pressure Rating	Up to 3000 PSI
Application	Water, Oil, Gas, Air

HALF COUPLING



- Joins two pipes securely
- High strength
- Corrosion resistant
- Leak-proof connection

Size Range	1/8" to 4"
Thread Type	BSP / NPT
Material	SS 304 / SS 316 / GI
Pressure Rating	Up to 3000 PSI
Application	Piping, Plumbing, Industrial

FULL COUPLING



- Strong & durable
- Perfect alignment
- Corrosion resistant
- Suitable for high pressure

Size Range	1/8" to 4"
Thread Type	BSP / NPT
Material	SS 304 / SS 316 / GI
Pressure Rating	Up to 3000 PSI
Application	Water, Oil, Gas, Air

ROUND BAR (SS)



- High strength
- Corrosion resistant
- Smooth finish
- Available in various sizes

Size Range	6mm to 100mm
Material	SS 304 / SS 316
Standard	ASTM / AISI
Length	3 Meter / 6 Meter
Application	Fabrication, Machinery, Industrial Use

THREADED PIPE NIPPLE (BSP)



- Precision threads
- Leak-proof connection
- Strong & durable
- Corrosion resistant

Size Range	1/8" to 4"
Thread Type	BSP (Male)
Material	SS 304 / SS 316 / GI
Pressure Rating	Up to 3000 PSI
Application	Piping, Plumbing, Industrial

LONG PIPE NIPPLE (BSP)



- Extra length for deep connections
- Strong & durable
- High strength
- High pressure resistance

Size Range	1/8" to 4"
Thread Type	BSP (Male)
Material	SS 304 / SS 316 / GI
Pressure Rating	Up to 3000 PSI
Application	Piping, Oil, Gas, Water

HEX PLUG (BSP)



- Seals the end of pipe
- Leak-proof
- High strength
- Easy installation

Size Range	1/8" to 4"
Thread Type	BSP (Male)
Material	SS 304 / SS 316 / GI
Pressure Rating	Up to 3000 PSI
Application	Water, Oil, Gas, Air

HOSE CLAMP (SS)



- Closes the end of pipe
- Leak-proof
- Corrosion resistant
- Easy installation

Size Range	8mm to 100mm
Material	SS 304
Type	Worm Drive
Application	Hose, Pipe, Tubing



INDUSTRIAL FITTINGS & ACCESSORIES

A comprehensive range of industrial fittings and accessories designed to ensure secure connections, leak-proof performance and long service life in all types of industrial applications.



FEATURES

- Precision manufacturing for perfect fit
- Leak-proof and reliable performance
- Corrosion resistant materials
- Easy installation and maintenance
- Wide range of sizes and configurations
- Suitable for various industrial applications



APPLICATIONS

- Water & Waste Water Treatment
- Oil, Gas & Petrochemical Industries
- Marine & Ship Building
- HVAC & General Industrial Applications
- Pumping & Pipeline Systems
- Power Plants
- Food & Beverage Industries

BUTT WELD ELBOW 90°



- Smooth flow transition
- High pressure resistance
- Durable & long lasting

Size Range	1/2" to 24"
Schedule	SCH 10 to SCH 160
Material	ASTM A234 WPB SS 304 / 316
Ends	Butt Weld
Application	Oil, Gas, Chemical, Power Plants

BUTT WELD TEE



- Efficient flow distribution
- Strong & leak-proof joints
- Available in all standard sizes

Size Range	1/2" to 24"
Schedule	SCH 10 to SCH 160
Material	ASTM A234 WPB SS 304 / 316
Ends	Butt Weld
Application	Piping, Chemical, Petrochemical

BUTT WELD REDUCER (CONCENTRIC)



- Smooth bore transition
- Reduces pressure loss
- Corrosion resistant

Size Range	1/2" to 24"
Schedule	SCH 10 to SCH 160
Material	ASTM A234 WPB SS 304 / 316
Ends	Butt Weld
Application	Oil, Gas, Water, Steam Lines

BUTT WELD CAP



- Secure pipe termination
- Withstands high pressure
- Strong & reliable

Size Range	1/2" to 24"
Schedule	SCH 10 to SCH 160
Material	ASTM A234 WPB SS 304 / 316
Ends	Butt Weld
Application	Piping, Pressure Vessels, Tanks

SOCKET WELD COUPLING



- High strength coupling
- Leak-proof connection
- Ideal for high pressure

Size Range	1/8" to 4"
Pressure Rating	Up to 6000 PSI
Material	ASTM A105 SS 304 / 316
Ends	Socket Weld
Application	High Pressure Piping Systems

SOCKET WELD UNION



- Easy assembly & dismantling
- Leak-proof performance
- Reusable & durable

Size Range	1/8" to 4"
Pressure Rating	Up to 6000 PSI
Material	ASTM A105 SS 304 / 316
Ends	Socket Weld
Application	Oil, Gas, Chemical, Hydraulic Systems

THREADED BUSH (REDUCING)



- Reduce pipe size
- Strong & durable
- Easy installation

Size Range	1/8" to 4"
Thread Type	BSP / NPT
Material	GI / SS 304 / 316
Ends	Male x Female
Application	Piping, Plumbing, Industrial

THREADED CROSS



- Connects four pipes
- High strength
- Leak-proof joints

Size Range	1/8" to 4"
Thread Type	BSP / NPT
Material	GI / SS 304 / 316
Ends	Female (All)
Application	Piping, Chemical, Water Lines

BARBED HOSE TAIL



- Strong grip on hose
- Leak-resistant connection
- Easy to install

Size Range	1/8" to 4"
Thread Type	BSP / NPT
Material	SS 304 / 316 / Brass
Ends	Male Thread
Application	Hose, Water, Air, Fluid Transfer

PIPE HANGER (ROLLER TYPE)



- Supports pipe with movement
- Reduces friction
- Easy installation

Size Range	1/2" to 12"
Material	MS / SS
Finish	Galvanized
Type	Roller Type
Application	Piping Support, HVAC, Industrial

EXPANSION BELLOW (METALLIC)



- Absorbs thermal movement
- Reduces stress on piping
- Durable construction

Size Range	1" to 24"
Material	SS 304 / 316
Pressure Rating	Up to 16 Bar
Ends	Flanged / Welded
Application	Steam, Hvac, Process Piping

Y-STRAINER (THREADED)



- Removes dirt & particles
- Protects valves & equipment
- Easy cleaning

Size Range	1/2" to 4"
Thread Type	BSP / NPT
Material	CI / SS 304 / 316
Ends	Female Thread
Application	Water, Oil, Steam, Pipelines

INDUSTRIAL FITTINGS & ACCESSORIES

A comprehensive range of industrial fittings and accessories designed to ensure secure connections, leak-proof performance and long service life in all types of industrial applications.

FEATURES

- Precision manufacturing for perfect fit
- Leak-proof and reliable performance
- Corrosion resistant materials
- Easy installation and maintenance
- Wide range of sizes and configurations
- Suitable for various industrial applications

APPLICATIONS

- Water & Waste Water Treatment
- Oil, Gas & Petrochemical Industries
- Marine & Ship Building
- HVAC & General Industrial Applications
- Pumping & Pipeline Systems
- Power Plants
- Food & Beverage Industries



VALVES & FITTINGS & PRESSURE GAUGES

CAMLOCK COUPLING TYPE A (ADAPTER)



- Quick connect system
- Stainless steel 316
- Durable & leak-proof
- Easy to operate

Size Range	1/2" to 6"
Material	SS 316 / Alu / PP
Pressure Rating	Up to 250 PSI
Application	Liquid Transfer

CAMLOCK COUPLING TYPE B (COUPLER)



- Secure locking
- Multiple material options
- High pressure resistance
- Long service life

Size Range	1/2" to 6"
Material	SS 316 / Alu / PP
Pressure Rating	Up to 250 PSI
Application	Chemical, Water, Oil Transfer

TRI CLAMP FERRULE (LONG TYPE)



- Hygienic connection
- SS 304 / SS 316
- Smooth internal surface
- Ideal for food & pharma

Size Range	1/2" to 4"
Material	SS 304 / SS 316
Standard	ISO / 3A / DIN
Application	Food, Dairy, Pharma, Beverage

TRI CLAMP CLAMP (SINGLE PIN)



- Strong & reliable clamp
- SS 304 / SS 316
- Easy installation
- Corrosion resistant

Size Range	1/2" to 6"
Material	SS 304 / SS 316
Standard	ISO / 3A / DIN
Application	Piping, Food, Pharma, Dairy

SIGHT GLASS (FLANGED TYPE)



- Visual flow indication
- Cast Iron / SS Body
- High pressure resistant
- Clear view & durable

Size Range	15 NB to 100 NB
Material	CI / SS 304 / SS 316
Pressure Rating	Up to 16 Bar
Application	Steam, Water, Oil Lines

NEEDLE VALVE (INSTRUMENTATION)



- Precise flow control
- SS 316 construction
- High pressure capability
- Compact & durable

Size Range	1/8" to 1/2"
Material	SS 316
Pressure Rating	Up to 6000 PSI
Application	Instrumentation, Hydraulic, Gas

SOLENOID VALVE (2 WAY)



- Electric operated
- Brass / SS body
- Normally Closed / Open
- High performance

Size Range	1/4" to 2"
Material	Brass / SS 304
Pressure Rating	Up to 16 Bar
Application	Water, Air, Gas, Chemical

PNEUMATIC FITTING (ELBOW)



- Push-in connection
- Nickel plated brass
- Leak-proof & secure
- Easy & quick installation

Tube OD	4 mm to 12 mm
Material	Brass / PU
Pressure Rating	Up to 150 PSI
Application	Pneumatic Systems

QUICK RELEASE COUPLING (EURO TYPE)



- Fast connection
- High flow capacity
- Nickel plated brass
- Leak-proof performance

Size Range	1/4" to 1"
Material	Brass (Nickel Plated)
Pressure Rating	Up to 300 PSI
Application	Air, Water, Gas

HYDRAULIC QUICK COUPLER (MALE)



- High pressure rated
- Hardened steel
- Secure locking
- Long working life

Size Range	1/4" to 1"
Material	Carbon Steel
Pressure Rating	Up to 5000 PSI
Application	Hydraulic Systems

FLOAT VALVE (BALL TYPE)



- Automatic water level control
- Brass body
- Corrosion resistant
- Easy to install

Size Range	1/2" to 2"
Material	Brass
Pressure Rating	Up to 10 Bar
Application	Water Tanks, Overhead Tank

AIR FILTER REGULATOR LUBRICATOR (FRL)



- Filters, regulates & lubricates
- Modular design
- High efficiency
- Improves equipment life

Port Size	1/4" to 1/2"
Material	Aluminium / Polycarbonate
Pressure Rating	Up to 150 PSI
Application	Pneumatic Systems

THERMODYNAMIC STEAM TRAP



- Efficient condensate removal
- Cast steel construction
- No moving parts
- Long service life

Size Range	15 NB to 50 NB
Material	Cast Steel
Pressure Rating	Up to 32 Bar
Application	Steam Lines

SS FLEXIBLE METAL HOSE (BRAIDED)



- Absorbs vibration
- SS 304 / SS 316
- High temperature resistant
- Long durability

Size Range	1/2" to 4"
Material	SS 304 / SS 316
Pressure Rating	Up to 16 Bar
Application	Steam, Water, Oil, Chemicals

FOOT VALVE (WITH STRAINER)



- Prevents backflow
- Bronze body
- With SS strainer
- Easy installation

Size Range	1/2" to 2"
Material	Bronze / Brass
Pressure Rating	Up to 16 Bar
Application	Pumping Systems

FLOAT SWITCH (CABLE TYPE)



- Automatic level control
- Polypropylene body
- High quality cable
- Reliable performance

Cable Length	3 Meter / 5 Meter
Voltage	230V AC / 50 Hz
Application	Water Tanks, Sumps, Pumps

INSTRUMENTATION & PROCESS CONTROL SOLUTIONS

A comprehensive range of instrumentation and process control components designed for accurate monitoring, measurement and control in industrial systems.



FEATURES

- Accurate & reliable performance
- Durable construction for industrial use
- Wide range of models and configurations
- Corrosion resistant materials
- Easy installation and maintenance
- Suitable for various industrial applications



APPLICATIONS



Process Industries



Chemical & Petrochemical



Power Plants



Water & Waste Water Treatment



Oil & Gas / Refineries



HVAC & Building Services



VALVES & FITTINGS & PRESSURE GAUGES

THERMOWELL (BAR STOCK TYPE)



- Protects temperature sensor
- Withstands high pressure
- Corrosion resistant
- Various flange & thread options

Size Range	1/2" to 2"
Material	SS 304 / SS 316
Connection	Threaded / Flanged
Pressure Rating	Up to 2500 PSI
Application	Temperature Measurement

MAGNETIC FLOW METER



- No moving parts
- High accuracy
- Wide turndown ratio
- Suitable for conductive liquids

Size Range	15 mm to 3000 mm
Accuracy	±0.5% of reading
Material	SS 316 / Lined
Connection	Flanged
Application	Water, Effluent, Chemicals

ROTAMETER (VARIABLE AREA FLOW METER)



- Direct reading flow rate
- Simple design
- Low pressure drop
- Easy to install

Size Range	15 NB to 100 NB
Material	SS 304 / Acrylic
Connection	Threaded / Flanged
Pressure Rating	Up to 10 Bar
Application	Water, Air, Gas

SIGHT FLOW INDICATOR



- Visual flow indication
- Rugged & reliable
- Compact design
- Low maintenance

Size Range	15 NB to 150 NB
Material	CI / CS / SS 304
Connection	Flanged
Pressure Rating	Up to 16 Bar
Application	Liquids in Pipelines

PULSATION DAMPENER



- Absorbs pressure pulsations
- Protects system components
- Extends equipment life
- Different material options

Size Range	1/2" to 2"
Material	SS / Rubber / PP
Connection	Threaded
Pressure Rating	Up to 250 Bar
Application	Pumps, Dosing Systems

PRESSURE SNUBBER



- Protects gauge from surges
- Reduces pressure spikes
- Compact & durable
- Easy installation

Size Range	1/4" to 1/2"
Material	SS 316
Connection	Threaded
Pressure Rating	Up to 6000 PSI
Application	Pressure Gauges, Hydraulic Systems

SYPHON TUBE



- Protects gauge from heat
- Allows condensation
- Various configurations
- Durable construction

Size Range	1/4" to 1"
Material	SS 304 / SS 316
Connection	Threaded
Pressure Rating	Up to 400 Bar
Application	Steam, Hot Oil, Hot Water

GAUGE COCK



- Isolates pressure gauges
- Smooth operation
- Leak tight shut-off
- Compact design

Size Range	1/4" to 1/2"
Material	Brass / SS 316
Connection	Threaded
Pressure Rating	Up to 6000 PSI
Application	Gauge Isolation

NEEDLE MANIFOLD VALVE (2 VALVE)



- Precise flow control
- Compact manifold design
- High pressure capability
- Stainless steel construction

Connection	1/2" NPT (F)
Material	SS 316
Pressure Rating	Up to 6000 PSI
Configuration	2 Valve Manifold
Application	Differential Pressure Transmitters

AIR HEADER (DISTRIBUTION MANIFOLD)



- Distributes compressed air
- Reduces pressure drops
- Custom port configurations
- Heavy duty construction

Size Range	1/2" to 2"
Material	CS / SS 304
Connection	Threaded
Pressure Rating	Up to 16 Bar
Application	Compressed Air Systems

CONDENSATE POT



- Collects steam condensate
- Improves steam efficiency
- Robust cast construction
- Easy maintenance

Size Range	1/2" to 2"
Material	Cast Iron / CS
Connection	Threaded
Pressure Rating	Up to 16 Bar
Application	Steam Lines

RTD TEMPERATURE SENSOR



- Accurate temperature sensing
- Pt100 / Pt1000 options
- Various probe lengths
- With protection tube

Type	Pt100 / Pt1000
Material	SS 304 / SS 316
Connection	Threaded / Flanged
Temperature Range	-50°C to 400°C
Application	Temperature Measurement

INDUSTRIAL TOOLS & EQUIPMENT

A wide selection of industrial tools and equipment built for durability, safety and high performance in demanding work environments.



INDUSTRIAL TOOLS & EQUIPMENT

PIPE WRENCH (HEAVY DUTY)



- Drop forged steel body
- Adjustable jaw
- Strong grip & long life

Size Range	8" to 48"
Material	Forged Steel
Jaw Type	Adjustable
Handle	Heavy Duty
Application	Pipe Grip & Turn

ADJUSTABLE WRENCH (CRESCENT)



- Chrome vanadium steel
- Smooth adjustment
- Corrosion resistant

Size Range	6" to 24"
Material	Cr-V Steel
Finish	Chrome Plated
Jaw Type	Adjustable
Application	Nuts & Bolts

HEX KEY SET (ALLEN KEY)



- Hardened alloy steel
- Black oxide finish
- Metric / Inch sizes

Size Range	1.5 mm to 12 mm
Material	Alloy Steel
Finish	Black Oxide
Type	Short / Long Arm
Application	Hex Socket Screws

SCREWDRIVER SET (INSULATED)



- Insulated for safety
- Magnetic tips
- Multiple tip types

Size Range	Set of 6 / 8 / 12
Material	S2 Steel
Handle	PP + TPR
Tip Type	Flat / Phillips
Application	Electrical Work



FEATURES

- High strength and durable tools
- Ergonomic design for better handling
- Corrosion resistant finishes
- Precision engineered for accuracy
- Suitable for heavy duty industrial use
- Available in a wide range of sizes and types

HAMMER (BALL PEIN)



- Forged steel head
- Heat treated
- Wooden handle

Weight Range	150g to 1000g
Material	Forged Steel
Handle	Wooden
Type	Ball Pein
Application	Metal Work

COLD CHISEL



- High carbon steel
- Hardened cutting edge
- Heavy duty

Size Range	10 mm to 32 mm
Material	High Carbon Steel
Type	Flat / Point / Cross
Finish	Polished
Application	Chiseling Work

MEASURING TAPE



- Shock resistant body
- Clear markings
- Auto lock system

Size Range	3m / 5m / 7.5m / 10m
Blade Width	16mm / 25mm
Material	Steel Blade
Lock Type	Auto Lock
Application	Measurement

UTILITY KNIFE



- Heavy duty body
- Retractable blade
- Comfortable grip

Blade Size	18 mm / 25 mm
Material	Zinc Alloy Body
Type	Snap-off Blade
Grip	Anti Slip
Application	Cutting Work



APPLICATIONS



Maintenance & Repair



Fabrication & Assembly



Construction Industry



Manufacturing Plants



Oil & Gas Industry



Utilities & Workshops

HACKSAW FRAME



- Strong steel frame
- Adjustable blade tension
- Comfortable handle

Size Range	12" / 18"
Material	Steel
Handle	Ergonomic
Blade Type	Bi-Metal
Application	Metal Cutting

TIN SNIPS SET



- Drop forged blades
- Cuts straight & curves
- Left, Right & Straight cut

Size	10" (250 mm)
Material	Cr-Mo Steel
Handle	PVC Dipped
Type	Straight / Left / Right
Application	Sheet Metal Cutting

BENCH VICE



- Heavy duty construction
- Smooth operation
- Strong grip

Jaw Width	100mm to 200mm
Material	Cast Iron
Type	Fixed Base
Finish	Paint Coated
Application	Work Holding

TAP & DIE SET



- High speed steel
- Complete set
- Precision threading

Size Range	M3 to M12
Material	HSS
Type	Tap & Die Set
Case	Metal Case
Application	Thread Cutting



INDUSTRIAL TOOLS & EQUIPMENT

A comprehensive range of industrial tools and equipment suitable for maintenance, assembly and repair tasks across various industries.

FEATURES

- Reliable & long lasting performance
- Designed for heavy duty applications
- Precision & durability in every tool
- Ergonomic design for easy handling
- Wide range of tools for every need

APPLICATIONS

- Industrial Maintenance
- Production & Assembly
- Mechanical Workshops
- Construction Sites
- Automotive Industry
- General Engineering

TORQUE WRENCH (MICROMETER TYPE)



- Accurate torque control
- Easy to read scale
- Reversible ratchet head

Torque Range	20 to 200 Nm
Drive Size	1/2"
Material	Alloy Steel
Finish	Chrome Plated
Application	Torque Tightening

IMPACT SOCKET SET (1/2" DRIVE)



- Chrome molybdenum steel
- Impact grade quality
- Durable storage case

Size Range	10 mm to 32 mm
Drive Size	1/2"
Material	Cr-Mo Steel
Finish	Black Phosphate
Application	Impact Use

RATCHET HANDLE (QUICK RELEASE)



- Quick release mechanism
- 72 teeth gear system
- Comfortable grip

Drive Size	1/4" / 3/8" / 1/2"
Teeth	72T
Material	Chrome Vanadium
Finish	Mirror Polished
Application	Socket Operations

EXTENSION BAR (1/2" DRIVE)



- Heat treated steel
- Corrosion resistant
- Knurled grip

Length	75 / 125 / 250 mm
Drive Size	1/2"
Material	Cr-V Steel
Finish	Chrome Plated
Application	Socket Extension

UNIVERSAL JOINT (1/2" DRIVE)



- Allows angling up to 45°
- Smooth operation
- High strength steel

Drive Size	1/2"
Material	Cr-V Steel
Finish	Chrome Plated
Type	Universal Joint
Application	Angled Access

PUNCH SET (6 PCS)



- Heat treated tips
- Precision ground
- For marking & alignment

Sizes	2, 3, 4, 5, 6, 8 mm
Material	High Carbon Steel
Finish	Black Oxide
Type	Parallel Punch
Application	Punching & Aligning

CENTER PUNCH



- Hardened striking end
- Knurled body for grip
- Accurate centering

Size	120 mm
Material	High Carbon Steel
Finish	Black Oxide
Type	Knurled
Application	Center Marking

PRY BAR (WRECKING BAR)



- Forged steel construction
- Flat & claw ends
- High leverage design

Length	300 / 450 / 600 mm
Material	Forged Steel
Finish	Black Powder Coated
Type	Flat & Claw
Application	Prying & Lifting

OIL FILTER WRENCH (BELT TYPE)



- Strong grip on filter
- Adjustable size
- Durable construction

Capacity	60 to 120 mm
Material	Steel + Rubber Belt
Handle	Ergonomic
Type	Belt Type
Application	Filter Removal

FEELER GAUGE SET (METRIC)



- Precision ground blades
- Metric measurement
- Rust resistant

Size Range	0.04 to 1.00 mm
Material	Spring Steel
Finish	Satin Finish
Type	Metric
Application	Gap Measurement

MAGNETIC PICK-UP TOOL (TELESCOPIC)



- Extendable telescopic rod
- Strong magnetic tip
- Ideal for hard to reach areas

Length	180 to 820 mm
Tip Capacity	2.5 Kg
Material	Stainless Steel
Handle	Ergonomic
Application	Pick-up Tool

LED INSPECTION LIGHT (RECHARGEABLE)



- Bright LED illumination
- Rechargeable battery
- Magnetic base & clip

LED Output	300 Lumens
Battery	Li-ion Rechargeable
Material	Aluminum Body
Mode	High / Low
Application	Inspection Light

AIR BLOW GUN



- High pressure airflow
- Variable flow trigger
- Ideal for cleaning

Inlet Size	1/4" BSP
Material	Aluminum Body
Max Pressure	10 Bar
Type	Trigger Type
Application	Air Cleaning

HOSE CLAMP PLIERS



- Locking mechanism
- Interchangeable jaws
- For hose clamps

Length	220 mm
Material	Carbon Steel
Handle	PVC Coated
Type	Flexible Cable
Application	Hose Clamp

THREAD RESTORER SET (METRIC)



- Restores damaged threads
- Multiple sizes
- Easy to use

Size Range	M5 to M12
Material	High Speed Steel
Finish	Hardened
Type	Metric
Application	Thread Repair

DEBURRING TOOL (SET)



- Removes burrs & sharp edges
- Interchangeable blades
- Comfortable handle

Handle	Aluminum
Blades	5 Pcs (Different)
Material	HSS Blades
Type	Deburring Set
Application	Deburring Work

INDUSTRIAL TOOLS & EQUIPMENT



INDUSTRIAL TOOLS & EQUIPMENT

A complete range of industrial tools and equipment for professional performance in challenging environments.

FEATURES

- Engineered for efficiency and safety
- Built for heavy duty applications
- Ergonomic design for better control
- Reliable, accurate and long lasting
- Wide variety for every industrial need

APPLICATIONS

- Maintenance & Repair
- Engineering Workshops
- Construction Industry
- Automotive Industry
- Fabrication Works
- General Manufacturing
- MRO & Utility Services

RIVET GUN (HAND TOOL)



- Strong metal body
- Comfortable grip
- For aluminum & steel rivets
- Easy to use

Size	8" / 10"
Material	Steel Body
Nose Pieces	2.4, 3.2, 4.0, 4.8 mm
Handle	PVC Coated
Application	Riveting Works

SOLDERING IRON (ELECTRIC)



- Fast heating element
- Insulated handle
- Long life tip
- Ideal for electrical work

Power	25W / 40W / 60W
Voltage	220V AC
Tip Material	Copper
Handle	Plastic
Application	Soldering

HEAT GUN



- Variable temperature control
- Overheat protection
- Multiple airflow settings
- For shrink, dry & strip

Power	1600W / 2000W
Temperature	50°C – 550°C
Air Flow	250 – 500 L/min
Voltage	220V AC
Application	Heating & Shrink

DIGITAL MULTIMETER



- LCD display
- Overload protection
- AC / DC voltage
- Resistance & continuity

Display	3 1/2 Digit LCD
Voltage	AC 750V / DC 1000V
Current	DC 10A
Resistance	200Ω – 20MΩ
Application	Electrical Testing

CLAW HAMMER (STEEL HANDLE)



- Drop forged head
- Heat treated
- Shock resistant handle
- Balanced weight

Weight	8 oz / 16 oz / 24 oz
Material	Carbon Steel
Handle	Steel with Rubber Grip
Finish	Polished
Application	General Purpose

ADJUSTABLE PIPE CUTTER



- Sharp cutting wheel
- Smooth operation
- Adjustable feed
- For copper, brass & alu.

Capacity	3 mm to 32 mm
Material	Aluminum Body
Blade	Alloy Steel
Type	Adjustable
Application	Pipe Cutting

TUBE BENDER (MANUAL)



- Precise bending
- Durable construction
- Angle markings
- For copper & aluminum tube

Size	6 mm / 8 mm / 10 mm
Material	Steel
Angle Range	0° – 180°
Handle	Non Slip
Application	Tube Bending

BOLT CUTTER



- High cutting capacity
- Induction hardened jaws
- Strong & durable
- Comfortable grip

Size	14" / 18" / 24" / 30"
Material	Chrome Vanadium Steel
Handle	PVC Grip
Cutting Type	Center Cut
Application	Bolt & Rod Cutting

GREASE GUN (LEVER TYPE)



- High pressure
- Heavy duty construction
- Leak proof
- For cartridge & bulk

Capacity	400 cc / 500 cc
Material	Steel
Type	Lever Action
Pressure	Up to 6000 PSI
Application	Lubrication

BEARING PULLER (3 JAW)



- Strong forged steel
- Self centering jaws
- Smooth operation
- Reversible jaws

Size	3" / 4" / 6"
Material	Carbon Steel
Type	3 Jaw
Finish	Zinc Plated
Application	Bearing Removal

VERNIER CALIPER



- High accuracy
- Metric & inch scale
- Stainless steel
- Smooth sliding

Range	0 – 150 mm / 6"
Material	Stainless Steel
Accuracy	±0.02 mm
Graduation	0.02 mm / 0.001"
Application	Measurement

MICROMETER (OUTSIDE)



- High precision
- Hardened spindle
- Ratchet stop
- Metric / Inch

Range	0 – 25 mm
Accuracy	0.01 mm
Material	Steel
Type	Outside Micrometer
Application	Precision Measurement

SPRING BALANCER



- Adjustable tension
- Smooth retraction
- Increase productivity
- Safe & reliable

Capacity	0.5 kg – 3.0 kg
Cable Length	1.3 m
Body Material	Aluminum
Type	Retractable
Application	Material Handling

CHAIN BLOCK (MANUAL)



- High lifting capacity
- Strong load chain
- Easy operation
- Safe & reliable

Capacity	1 Ton / 2 Ton / 3 Ton
Lift Height	3 m / 5 m / 10 m
Chain	High Grade Alloy Steel
Type	Manual
Application	Lifting & Pulling

PALLET TRUCK (HAND OPERATED)



- Heavy duty pump
- Nylon steering wheels
- Smooth movement
- For material handling

Capacity	2.5 Ton / 3.0 Ton
Fork Length	1150 mm
Min. Height	85 mm
Max. Height	200 mm
Application	Material Handling

MAGNETIC PICKER (TELESCOPIC)



- Strong magnetic tip
- Telescopic rod
- Pocket clip
- Easy to carry

Length	170 mm – 800 mm
Tip Capacity	Up to 2.5 kg
Material	Stainless Steel
Handle	Rubber Grip
Application	Pick Small Parts

INDUSTRIAL TOOLS & EQUIPMENT

A wide variety of industrial tools and equipment to support productivity, precision and efficiency in every task.

FEATURES

- Reliable & long lasting tools
- Built for heavy duty applications
- Precision engineered for better results
- Ergonomic & safe design
- Wide range for every industrial need

APPLICATIONS

- Industrial Maintenance
- Manufacturing Plants
- Construction Industry
- Automotive Industry
- Fabrication Workshops
- Utilities & Services



INDUSTRIAL TOOLS & EQUIPMENT

CORDLESS IMPACT DRIVER



- High torque output
- Variable speed control
- Compact & lightweight

Voltage	18V DC
No Load Speed	0 - 2600 RPM
Max Torque	180 Nm
Chuck Size	1/4" Hex
Application	Fastening & Loosening

DIE GRINDER (STRAIGHT)



- High speed performance
- Precision grinding
- Slim body for control

Power	500 W
Collet Size	6 mm
No Load Speed	25000 RPM
Voltage	220V AC
Application	Grinding & Polishing

POLISHING MACHINE (7")



- Smooth polishing
- Variable speed control
- Comfortable grip

Power	1200 W
Pad Size	7 Inch
No Load Speed	600 - 3000 RPM
Voltage	220V AC
Application	Polishing Surfaces

ELECTRIC BLOWER



- Powerful airflow
- Lightweight design
- Easy to operate

Power	600 W
Air Volume	0 - 4.1 m³/min
No Load Speed	0 - 16000 RPM
Voltage	220V AC
Application	Cleaning & Dusting

BENCH GRINDER (6")



- Heavy duty motor
- Adjustable eye shields
- Stable cast iron base

Power	550 W
Wheel Size	150 mm (6")
No Load Speed	2950 RPM
Voltage	220V AC
Application	Grinding & Sharpening

MAGNETIC DRILL (MAG DRILL)



- Strong magnetic base
- Variable speed control
- Annular cutter compatible

Power	1600 W
Max Drill Dia	50 mm
Cutting Depth	50 mm
Voltage	220V AC
Application	Metal Drilling

PIPE THREADING MACHINE (ELECTRIC)



- High threading accuracy
- Heavy duty gear system
- Suitable for various pipes

Power	750 W
Capacity	1/2" - 2"
No Load Speed	28 RPM
Voltage	220V AC
Application	Pipe Threading

PLASTIC PIPE WELDER



- Fast heating
- Temperature control
- Suitable for PP, PPR, PE

Power	800 W
Temperature	0 - 300°C
Voltage	220V AC
Die Sizes	20, 25, 32, 40, 50, 63 mm
Application	Plastic Pipe Welding

HYDRAULIC PIPE BENDER (MANUAL)



- Smooth bending
- Heavy duty construction
- Multiple die options

Capacity	1/2" - 2"
Stroke	250 mm
Hydraulic Force	10 Ton
Weight	28 Kg
Application	Pipe Bending

VIBRATION METER



- Accurate vibration measurement
- Wide frequency range
- Easy to use

Measurement	Acceleration, Velocity, Displacement
Frequency Range	10 Hz - 1 kHz
Display	LCD
Power	Battery Operated
Application	Vibration Monitoring

LASER DISTANCE METER



- High measurement accuracy
- Backlit display
- Multiple measurement modes

Measuring Range	0.05 - 100 m
Accuracy	±2 mm
Display	LCD
Power	2 x AAA Battery
Application	Distance Measurement

STUD FINDER



- Detects wood & metal studs
- Live wire detection
- Easy to operate

Detection Depth	19 mm
Display	LED Indicator
Power	9V Battery
Material	ABS Plastic
Application	Wall Scanning

PORTABLE AIR COOLER



- Powerful cooling
- Low noise operation
- Portable & easy to move

Power	150 W
Air Flow	1500 m³/hr
Tank Capacity	20 Ltr
Voltage	220V AC
Application	Cooling

INDUSTRIAL VACUUM CLEANER (WET & DRY)



- Wet & dry cleaning
- Powerful suction
- Durable stainless steel tank

Power	1200 W
Tank Capacity	30 Ltr
Air Flow	53 L/Sec
Voltage	220V AC
Application	Cleaning

HEAVY DUTY CABLE CUTTER



- High cutting capacity
- Heat treated blades
- Comfortable grip

Cutting Capacity	Up to 50 mm²
Length	600 mm
Material	Chrome Vanadium Steel
Handle	Non Slip Grip
Application	Cutting Cables

CABLE PULLER (HAND WINCH)



- High pulling capacity
- Durable steel body
- Double gear system

Capacity	1.6 Ton / 1600 Kg
Cable Length	20 m
Gear Type	Double Gear
Material	Steel
Application	Pulling & Lifting

INDUSTRIAL TOOLS & EQUIPMENT

Comprehensive range of industrial tools and equipment designed for heavy duty applications in maintenance, repair and production.

FEATURES

- High performance tools for industrial use
- Engineered for safety and reliability
- Ergonomic & user friendly design
- Built to withstand harsh environments
- Wide selection for every industrial need

APPLICATIONS

- Industrial Maintenance
- Plant Operations
- Engineering Workshops
- Construction Projects
- Automotive & Transport
- Oil & Gas Industry
- Utilities & Services



INDUSTRIAL TOOLS & EQUIPMENT

ELECTRIC LIFTING WINCH (220V / 380V)



- High pulling capacity
- Thermal overload protection
- Low noise operation

Capacity	0.5 Ton - 5 Ton
Lift Height	6 m - 30 m
Lifting Speed	8 / 4 m/min
Voltage	220V / 380V
Application	Material Handling

MANUAL CABLE PULLER (WIRE ROPE HOIST)



- Compact & portable
- Heat treated hooks
- High tensile wire rope

Capacity	0.8 Ton - 3.2 Ton
Wire Rope Length	10 m - 20 m
Wire Rope Dia.	8 mm - 16 mm
Body Material	Steel
Application	Pulling & Lifting

WEB SLING



- Lightweight & flexible
- High load bearing strength
- Wear & abrasion resistant

Capacity	1 Ton - 10 Ton
Length	1 m - 10 m
Width	25 mm - 300 mm
Material	Polyester
Application	Lifting & Rigging

SHACKLE (BOW TYPE)



- Forged steel construction
- Galvanized finish
- High load capacity

Capacity	0.5 Ton - 25 Ton
Size Range	6 mm - 55 mm
Material	Forged Steel
Finish	Galvanized
Application	Lifting & Rigging

HOOK BLOCK ASSEMBLY



- Heavy duty construction
- Smooth pulley movement
- Safe & reliable

Capacity	1 Ton - 20 Ton
No. of Sheaves	1 - 4
Hook Type	Swivel Hook
Material	Alloy Steel
Application	Crane & Hoist

BEAM CLAMP



- Quick & easy installation
- Secure grip on beam
- Heavy duty build

Capacity	1 Ton - 5 Ton
Jaw Opening	75 - 300 mm
Material	Forged Steel
Finish	Powder Coated
Application	Beam Lifting

LOAD CELL (COMPRESSION TYPE)



- High accuracy measurement
- Stainless steel body
- Overload protection

Capacity	100 Kg - 20 Ton
Output	2.0 mV/V
Material	Stainless Steel
Protection Class	IP67
Application	Weight Measurement

DIGITAL CRANE SCALE



- Bright LED display
- Remote control operation
- Tare & hold function

Capacity	1 Ton - 30 Ton
Display	LED Digital
Battery	Rechargeable
Accuracy	±0.1% FS
Application	Weighing Loads

CHAIN SLING (4 LEG)



- 4 leg configuration
- High strength alloy steel
- Heat treated hooks

Capacity	2 Ton - 20 Ton
Chain Size	6 mm - 16 mm
Length	1 m - 6 m
Material	Alloy Steel
Application	Lifting & Rigging

ROUND SLING



- 360° flexibility
- Core yarn for extra strength
- Lightweight & safe

Capacity	1 Ton - 10 Ton
Effective Length	1 m - 10 m
Material	Polyester
Safety Factor	7:1
Application	Lifting Heavy Loads

TOOL TROLLEY (7 DRAWER)



- Heavy duty structure
- Ball bearing drawer slides
- Central locking system

Drawer	7
Load Capacity	300 Kg
Material	CRCA Steel
Caster	4" Heavy Duty
Application	Tool Storage

WORKSHOP STOOL (ADJUSTABLE)



- Height adjustable
- Padded seat for comfort
- Sturdy base with wheels

Height Range	450 - 600 mm
Seat Diameter	300 mm
Base	5 Star
Material	PU Seat / Steel
Application	Workshop Use

MAGNETIC SWEEPER



- Strong magnetic power
- Easy to push & clean
- Ideal for metal debris

Sweeper Width	18 Inch / 24 Inch
Magnetic Power	Permanent Magnet
Wheel	Rubber
Material	Steel
Application	Floor Cleaning

OIL DISPENSER (MANUAL)



- Precision oiling
- Leak proof design
- Durable construction

Capacity	250 ml / 500 ml
Body Material	Steel
Spout	Flexible Metal
Operation	Manual
Application	Lubrication

PIPE ROLLER STAND



- Adjustable width
- Heavy duty rollers
- Stable & robust design

Roller Width	200 - 1200 mm
Load Capacity	500 Kg - 5 Ton
Height Range	680 - 1200 mm
Material	Steel
Application	Pipe Support

INSPECTION MIRROR SET



- Telescopic handle
- Multiple mirror sizes
- Ideal for inspection

Mirror Size	25 / 50 / 75 mm
Handle Length	250 - 900 mm
Material	Stainless Steel
Handle	Telescopic
Application	Inspection



INDUSTRIAL TOOLS & EQUIPMENT

Comprehensive range of industrial tools and equipment designed for heavy duty applications in maintenance, repair and production.



FEATURES

- High performance tools for industrial use
- Engineered for safety and reliability
- Ergonomic & user friendly design
- Built to withstand harsh environments
- Wide selection for every industrial need



APPLICATIONS



Industrial Maintenance



Plant Operations



Engineering Workshops



Construction Projects



Automotive & Transport



Oil & Gas Industry



Utilities & Services

CORDLESS RIVET GUN (BRUSHLESS)



- Brushless motor
- High pulling force
- LED work light

Pulling Force	20,000 N
Rivet Capacity	2.4 – 6.4 mm
Stroke	25 mm
Battery Voltage	18V DC
Application	Riveting

PIPE CUTTER (HEAVY DUTY)



- Sharp alloy steel blade
- Smooth cutting
- Spare blade available

Capacity	3 – 35 mm
Material	Aluminum Body
Blade Material	SKD11 Steel
Weight	0.6 kg
Application	Pipe Cutting

TUBE EXPANDER SET (MANUAL)



- Hardened expander heads
- For copper & aluminum tubes
- Ergonomic handle

Tube Size	1/4" – 7/8"
Material	Alloy Steel
Finish	Chrome Plated
Case Material	Plastic
Application	Tube Expanding

OXYGEN REGULATOR (INDUSTRIAL)



- Precise pressure control
- Durable brass body
- Safety relief valve

Gas Type	Oxygen
Inlet Pressure	200 bar
Outlet Pressure	0 – 10 bar
Material	Brass
Application	Gas Regulation

ACETYLENE FLASHBACK ARRESTOR



- Prevents flashback
- Safe & reliable
- Easy installation

Gas Type	Acetylene
Max Pressure	1.5 MPa
Connection	9/16" – 18 UNF
Material	Brass
Application	Welding Safety

WELDING HELMET (AUTO DARKENING)



- Auto darkening filter
- UV/IR protection
- Adjustable sensitivity

Shade Range	DIN 9 – 13
Viewing Area	92 x 42 mm
Power Source	Solar + Battery
Material	PP
Application	Welding Protection

WELDING MAGNET (MULTI ANGLE)



- Multi angle 45° / 90° / 135°
- High holding power
- Heavy duty steel body

Holding Capacity	34 kg
Angles	45° / 90° / 135°
Material	Steel
Finish	Powder Coated
Application	Welding & Fabrication

GAS CUTTING TORCH (HEAVY DUTY)



- Strong & durable
- Smooth cutting
- Comfortable grip

Cutting Capacity	3 – 300 mm
Gas Type	Oxygen / Acetylene
Material	Brass
Length	505 mm
Application	Gas Cutting

COLD CHISEL SET (SDS PLUS SHANK)



- Heat treated steel
- High durability
- SDS plus shank

Pieces	5 Pcs Set
Material	Cr – V Steel
Shank Type	SDS Plus
Finish	Sand Blasted
Application	Chiseling

GROOVE JOINT PLIER (WATER PUMP PLIER)



- Adjustable jaw
- Strong grip
- Corrosion resistant

Size	10" / 12"
Material	Cr – V Steel
Handle	PVC Dipped
Finish	Nickel Plated
Application	Gripping & Holding

SPRAY GUN (AIR OPERATED)



- Fine atomization
- Adjustable pattern
- Stainless steel cup

Cup Capacity	600 ml
Air Pressure	2.5 – 3.5 bar
Nozzle Size	1.4 mm
Material	Aluminum
Application	Painting

AIR HOSE REEL (AUTOMATIC)



- Auto rewind function
- Flexible & durable hose
- Wall/ceiling mountable

Hose Length	15 Meter
Hose I.D.	3/8" (9.5 mm)
Max Pressure	20 bar
Material	PP Case
Application	Air Supply

INDUSTRIAL GREASE GUN (LEVER TYPE)



- Heavy duty lever
- High pressure
- Bulk & cartridge use

Capacity	500 cc
Max Pressure	6000 PSI
Material	Steel
Type	Lever Operated
Application	Lubrication

STEEL WIRE BRUSH (HAND HELD)



- Strong steel bristles
- Comfortable grip
- Rust & paint removal

Bristle Material	Steel
Handle Material	Wood
Rows	4 Row
Length	285 mm
Application	Cleaning

OIL FUNNEL (WITH FLEX SPOUT)



- Flexible spout
- Spill proof design
- Chemical resistant

Capacity	2 Liter
Material	HDPE
Spout Length	200 mm
Temperature	-20°C to 80°C
Application	Oil Filling

TOOL BAG (HEAVY DUTY)



- Heavy duty fabric
- Multiple pockets
- Strong zipper & handle

Size	18" (L)
Material	600D Polyester
Load Capacity	20 kg
Closure	Zipper
Application	Tool Storage

INDUSTRIAL LUBRICANTS

High performance lubricants designed to reduce friction, improve efficiency and extend the life of your equipment.



FEATURES

- Excellent wear & corrosion protection
- High thermal stability & oxidation resistance
- Improves equipment life & performance
- Reduces downtime & maintenance cost
- Suitable for a wide range of industrial applications



APPLICATIONS

- Manufacturing
- Heavy Machinery
- Automotive
- Construction
- Power Generation
- Marine
- General Maintenance



INDUSTRIAL LUBRICANTS

AEROSHELL FLUID 41

Premium Synthetic Aviation Hydraulic Fluid



- Excellent low temperature performance
- High resistance to oxidation
- Superior anti-wear protection
- Compatible with aircraft systems
- Meets MIL-PRF-5606H Type IV

PACK SIZE

5 Litre

18.9 Litre

Type	Synthetic Hydraulic Fluid
Viscosity	ISO VG 15
Flash Point	> 200°C
Pour Point	-54°C
Application	Aircraft Hydraulic Systems

MOLYSLIP COPASLIP

High Temperature Anti-Seize Compound



- Protects up to 1100°C
- Prevents seizure, corrosion & galling
- Suitable for extreme pressure conditions
- Copper based for superior protection

Base	Copper
Temperature Range	-30°C to 1100°C
NLGI Grade	1
Appearance	Copper Paste
Application	Bolts, Nuts, Studs, Flanges, Threads

CUTTING OIL

High Performance Metal Cutting Oil



- Excellent cooling & lubrication
- Improves tool life & surface finish
- Reduces friction & heat
- Suitable for all ferrous metals

Type	Mineral Oil Based
Viscosity	ISO VG 32
Flash Point	> 180°C
Pack Size	1 L, 5 L, 210 L
Application	Turning, Milling, Drilling, Tapping, Grinding

WD-14 MULTI-PURPOSE SPRAY

Penetrant, Lubricant & Moisture Displacer



- Penetrates rusted parts
- Drives out moisture
- Lubricates & protects
- Cleans surfaces
- Stops squeaks
- Safe on metal, rubber & most plastics

Type	Multi-Purpose Penetrating Spray
Pack Size	450 ml Aerosol
Composition	Mineral Oil, Penetrants, Corrosion Inhibitors
Application	Automotive, Machinery, Tools, Hinges, Chains, Bolts, Nuts, Locks & more

CHAIN LUBRICANT

High Performance Chain Oil



- Excellent adhesion & penetration
- Reduces wear & friction
- Protects against rust & corrosion
- Suitable for high speed chains

Type	Synthetic Chain Oil
Pack Size	500 ml Aerosol
Operating Temp.	-20°C to 150°C
Application	Roller Chains, Conveyor Chains, Industrial Chains

RUST PREVENTIVE OIL

Long Term Corrosion Protection



- Provides long term protection
- Displaces moisture
- Leaves protective oil film
- Ideal for storage & shipment

Type	Rust Preventive Oil
Pack Size	1 L, 5 L, 20 L, 210 L
Film Type	Oily Protective Film
Application	Machinery Parts, Metal Components, Tools, Storage & Shipment

INDUSTRIAL PRODUCT RANGE

ONE SUPPLIER. COMPLETE SOLUTIONS.

**EVERY PRODUCT YOU NEED.
EVERY INDUSTRY WE SERVE.**

We supply a comprehensive range of industrial products to keep your operations running smoothly, safely and efficiently.

QUALITY PRODUCTS | **COMPETITIVE PRICES** | **ON TIME DELIVERY**

LUBRICANTS



- Hydraulic Oil
- Gear Oil
- Compressor Oil
- Turbine Oil
- Circulating Oil
- Cutting Oil
- Grease
- Chain Lubricant
- Rust Preventive Oil
- Penetrating Oil
- Silicone Spray
- Many More

HAND TOOLS



- Spanners
- Pliers
- Screwdrivers
- Hammers
- Allen Keys
- Sockets & Accessories
- Cutters
- Measuring Tools
- Wrenches
- And More

SAFETY PRODUCTS



- Safety Helmets
- Safety Shoes
- Gloves
- Safety Goggles
- Ear Protection
- Face Masks
- Reflective Jackets
- And More

ABRASIVES



- Cutting Discs
- Grinding Wheels
- Flap Discs
- Sanding Belts
- Fibre Discs
- Mounted Points
- Abrasive Rolls
- Wire Brushes
- And More

ADHESIVES & SEALANTS



- Thread Lockers
- Sealants
- Instant Adhesives
- Epoxy Adhesives
- RTV Silicones
- Gasket Makers
- Spray Adhesives
- And More

PNEUMATICS



- Air Cylinders
- FRL Units
- Solenoid Valves
- Push Fit Fittings
- Pneumatic Hoses
- And More

VALVES & FITTINGS



- Ball Valves
- Gate Valves
- Check Valves
- Pipe Fittings
- Brass Fittings
- SS Fittings
- Flanges
- Nipples
- And More

BEARINGS & POWER TRANSMISSION



- Ball Bearings
- Roller Bearings
- Oil Seals
- V-Belts
- Timing Belts
- Chains & Sprockets
- Couplings
- Pulleys
- And More

FASTENERS & HARDWARE



- Hex Bolts
- Nuts
- Washers
- Screws
- Anchors
- Rivets
- Studs
- U Bolts
- And More

PACKAGING & CONSUMABLES



- Packing Tapes
- Stretch Film
- Cable Ties
- Bubble Wrap
- Strapping Rolls
- Marking Tapes
- Gloves (Disposable)
- And More

CLEANING & MAINTENANCE



- Cleaners
- Degreasers
- Lubricant Sprays
- Contact Cleaners
- Hand Cleaners
- Wipes
- Absorbent Rolls
- And More

MEASURING & INSTRUMENTS



- Measuring Tapes
- Vernier Calipers
- Multimeters
- Dial Indicators
- Micrometers
- Levels
- And More

STATIONERY & OFFICE SUPPLIES



- Notebooks & Registers
- Files & Folders
- Papers
- Markers
- Pens & Pencils
- Highlighters
- Staplers & Punches
- Sticky Notes
- Clip & Pins
- Envelopes
- And More

WHY CHOOSE US?

- WIDE PRODUCT RANGE**
Everything under one roof
- PREMIUM QUALITY**
Products from trusted sources
- COMPETITIVE PRICES**
Best value for your business
- TIMELY DELIVERY**
On time, every time
- CUSTOMER SATISFACTION**
Your satisfaction is our priority



MARUTI
TRADING

CONTACT US

We are always here to serve you.

For any inquiries, orders, or support,
please feel free to get in touch with us.



PHONE

+971 55 457 7179



EMAIL

Marutidwc@gmail.com
Sales1@marutidwc.com



ADDRESS

Business Center 3, Floor Building A3,
Business Park Dubai,
United Arab Emirates.



BUSINESS HOURS

Monday to Friday
09:00 AM – 06:00 PM



BUILDING STRONGER INDUSTRIES TOGETHER

We are committed to provide
quality products, reliable service
and lasting solutions that
empower your business
to grow with confidence.

WHY CONNECT WITH US?



WIDE PRODUCT RANGE

Everything under one roof for
all your industrial needs.



PREMIUM QUALITY

Products from trusted brands
ensuring superior performance.



COMPETITIVE PRICES

Best value for your business
with affordable solutions.



TIMELY DELIVERY

On time, every time.



CUSTOMER SATISFACTION

Your satisfaction is
our top priority.

